State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-8-45 Relating to Certification of New Motor Vehicles

BAYERISCHE MOTOREN WERKE AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Bayerische Motoren Werke AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family		cement bic Inches)	Exhaust Emission Control Systems (Special Features)		
JBM3.5V5FMS4	3.5	(210.7)	Dual Three-Way Catalysts Heated Oxygen Sensor (Electronic Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per mile	
0.41	7.0	0.7	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	<u>Grams per Mile</u>
0.27	2.3	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ... " (Title 13, California Administrative Code, Section 1968) for the aforementioned model vear.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _______ day of March, 1987.

K. D. Drachand. Chief Mobile Source Division

1746E 0138L

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer	Bayerisch	e Motoren Werke AG	_ Engine Family _	JBM3.5V5FMS4
Evaporative	Family E	V30	_ Engine Type	In-line 6
			Liters (CID) _	3.5 (210.7)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance EEC-Electronic Engine Control Control VA-Vacuum Advance

EI-Electronic Ignition ESAC-Electronic Spark Advance VR-Vacuum Retard

System

CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor

Exhaust Emissions Control System

AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TR-Thermal Reactor TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fuel Injection IC-Intercooler or aftercooler MFI-Mechanical Fuel Injection TC-Turbocharger

VEHICLE MODELS:

Engine Code	<u>Vehicle Model</u>	Transmission
3.5MS	M5 M6	5-Speed Manual

Ee:	Front	<u> </u>	Mid.		Rear		
Drive:	FWD	****	RWD	<u>X</u>	4WD	Full Time	4WD Part Time

	Cars X Lighter Bayerische Mo						ese1
	3.5 (210.7)			Eng. i			
	Control Sys. (Spe				***		
	John Grays, (Spe	riai i car	ni es 1	2110 y 1100 y (21 2	-		
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System EFI Part No.	EGR Valve	Catalys
3.5MS	M5 (9.6)	М5	3,750	Control Unit: 0261200079	Control Unit: 0261200079	NA	1309648
	M6 (9.3)		3,875	Distributor: 1235522365	Air Flow Meter: 0280203025		
					Injector: 0280150201		
. '							
						. **	
			•				
:							

Revisions:

030186

Date of Issue